



Steel Done Right.

FLAT ROLLED
THAT'S RIGHT FOR
THE JOB, RIGHT
FROM THE START.



The Right Steel. The Right Advice. The Right Solutions.

Phoenix Steel Service provides you with the highest quality flat rolled available for your demanding manufacturing applications.

You can count on us for slit coil, cut sheets and blanks that fit your process and perform perfectly, for service that quickly turns problems into costeffective solutions, and for confidence and peace of mind knowing that we'll handle it all.

We deliver much more than just steel: call on us to help you solve a variety of your business challenges.

THAT'S STEEL DONE RIGHT.

PHOENIX STEEL SERVICE, INC.

— STEEL DONE RIGHT—

From metallurgical advice and material selection assistance to help eliminating a production problem. From stocking programs that keep your inventory costs low to market intelligence that helps you buy smarter and more profitably.

We can help you satisfy your customers and make your business more productive.

When you want more than just steel, call Phoenix Steel Service. Get the right steel, the right advice, the right solutions.









Extraordinary quality gives you extraordinary confidence.

Rigorous quality systems ensure that every inch of steel you get from Phoenix is spot on for physical and metallurgical specs, that gauge control is superior and quality is uncompromised.

Phoenix is IATF 16949:2016 and ISO 9001:2015 certified and we consistently meet the rigorous quality demands of automotive and OEM customers.

One call gets it done.

Don't you hate having to make multiple phone calls just to check up on an order? That simply won't happen with Phoenix as your supplier. Give us the initial order, the specs and the delivery information. We'll handle the rest. No problems. No surprises.

Whatever it takes.

Need metallurgical assistance? You got it. Want a special stocking program. Done. Need material advice? Coming right up. Got a tough part problem? A solution is on the way.

That humming sound? Your lines.

They're running quickly and smoothly because the material you buy from Phoenix is perfectly suited for the job at hand. Benefits for you: improved productivity, better efficiency, higher yields and, ultimately, lower costs.

IATF 16949:2016 AND ISO 9001:2015 CERTIFIED

(216) 332-0600 • phoenixsteelservice.com

Just Right.

Ever since we shipped our first ton of steel, our goal has been consistent: we don't want to simply be a supplier of flat rolled; we want to be a valued and trusted business partner in our customers' eyes. From RFQ to delivery and beyond Phoenix is involved in your business, your needs. We will go as far as you need us to go—and then some—to help you make a better product, more effectively.

The right steel, the right advice, the right solutions. That's Steel Done Right.

That's what you can expect from Phoenix Steel Service.



IATF 16949:2016 AND ISO 9001:2015 CERTIFIED

4679 JOHNSTON PKWY. CLEVELAND, OH 44128

PHONE: (216) 332-0600

FAX: (216) 332-9741

info@phoenixsteelservice.com phoenixsteelservice.com

STOCK **INVENTORY SPECS**

COLD ROLLED

.015 - .130

HR AND HRPO

.042 - .500

COATED PRODUCTS

.015 - .130

Coated Products include Aluminized, Pre-Painted, Electro Galvanized, Hot Dipped Galvanized, and Galvannealed materials

Material is available to all appropriate ASTM standards and SAE chemical grades. See website for additional detail. Grades and gauges not listed are available upon inquiry.

PRODUCTS







PROCESSING CAPABILITIES

PRO-ECO SLITTING LINES

GAUGE RANGE:

SHAPE CORRECTION:

MAXIMUM WIDTH: 74" INBOUND 72" OUTBOUND

80,000# BOTH INBOUND MAXIMUM WFIGHT:

MAXIMUM YIFI D. 80.000 PSI @ .250 GAUGE

NUMBER OF CUTS: 21 @ .125 GAUGE

20"- 24" BOTH INBOUND INSIDE DIAMETER: AND OUTBOUND

84" MAXIMUM BOTH INBOUND **OUTSIDE DIAMETER:** AND OUTROUND

7 ROLL KOR-FLEX LEVELER (HEAVY GAUGE)

12 ROLL CORRECTIVE LEVELER (LIGHT GAUGE)

.015 MIN .250 MAX

AND OUTBOUND

IOWA PRECISION BLANKING LINE

GAUGE: .017"- .120"

ID: 20"/24"

COIL WEIGHT: 50,000 LB. MAX

WIDTH: 72" MAX

CUTS: 6 MAX, MIN 6" WIDE

LENGTH: 10" TO 168"

TYPICAL TOLERANCES: +/- 1/32"

WYSONG SHEAR (1/4" X 10')

.015"- .250" **GAUGE:**

SIZE: .500"- 60" X 120"